



# Fiber Pro 50

*A dwarf BMR variety that is the shortest maturity in the lineup: 85-90 days. Can be direct chopped in soft dough stage OR harvested in a cut and wilt system following frost. The dwarf characteristic helps reduce lodging and improves the leaf: stem ratio, further increasing digestibility.*

## Field Positioning:

Prefers drier soils, requires 30-35% less water than corn silage and has excellent drought stress tolerance. Performs well on less productive soils.

## Target Harvest Timing:

Soft Dough OR cut/wilt at boot stage.

If cutting direct, prior to soft dough stage, increase cutting length to maximum length and use a homo-lactic silage preservative.

## Characteristics and Ratings:

Yield: 4/5

Forage Quality: 5/5

Palatability: 5/5

Digestibility: 5/5

Seedling vigor: 4/5

Recovery after cutting: 3/5

Plant uniformity: 5/5

Standability: 3/5

Downy Mildew: 4/5

Anthraco nose: 4/5

## At A Glance:

- ◇ Harvest 85-90 days after emergence
- ◇ Brachytic dwarf
- ◇ BMR-6
- ◇ Excellent for silage

### Seeding rate:

Soft Dough Harvest: 50-90K seeds/acre

Mow & Wilt: 15-20lbs/acre

### Planting Depth: 1-1.5"

**Caution:** Excess nitrogen may cause lodging. 100 units of N/acre max.



1828 Freedom Rd, Suite 101  
Lancaster, PA 17601  
(717) 687-6224  
KingsAgriSeeds.com